

# **SAFETY DATA SHEET**

Version 6.8 Revision Date 05/25/2023 Print Date 11/24/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1 Product identifiers**

	Product name	:	Calcium chloride dihydrate
	Product Number Brand Index-No. CAS-No.	::	223506 SIGALD 017-013-00-2 10035-04-8
1.2	2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	3 Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich Quimica S de RL de CV

Company	: Sigma-Aldrich Química S de RL de CV Parque Industrial Toluca 2000 Calle 6 Norte No. 107 50200 TOLUCA MEXICO
Telephone	: +52 (0)1 800 007 5300
Fax	: +52 (0)1 800 712 9920

### 1.4 Emergency telephone

Emergency Phone # : 800

800-00-214-00 (SETIQ) 800-681-9531 (CHEMTREC) (55) 55-59-15-88

# **SECTION 2: Hazards identification**

2.1	Classification of the substance or mixture			
	GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)			
	Eye irritation (Category 2A), H319			
	For the full text of the H-Statements mentioned in this Section, see Section 16.			

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Warning

Signal Word

SIGALD - 223506

Page 1 of 10



Hazard statement(s) H319	Causes serious eye irritation.			
Precautionary statement(s)				
P264	Wash skin thoroughly after handling.			
P280	Wear eye protection/ face protection.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.			
	Remove contact lenses, if present and easy to do. Continue rinsing.			
P337 + P313	If eye irritation persists: Get medical advice/ attention.			

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula	:	CaCl2 · 2H2O	
Molecular weig	jht :	147.01 g/mol	
CAS-No.	:	10035-04-8	
EC-No.	:	233-140-8	
Index-No.	:	017-013-00-2	

Component	Classification	Concentration
Calcium chloride dihydrate		
	Eye Irrit. 2A; H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

SIGALD - 223506

Page 2 of 10



# **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

- 5.2 Special hazards arising from the substance or mixture Hydrogen chloride gas Calcium oxide Not combustible. Ambient fire may liberate hazardous vapours.
- **5.3** Advice for firefighters In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

**6.4** Reference to other sections For disposal see section 13.

#### **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** For precautions see section 2.2.

SIGALD - 223506

Page 3 of 10



# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry.

# Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

**Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls

# Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

# **Personal protective equipment**

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

# **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril® L

# **Body Protection**

protective clothing

# **Respiratory protection**

required when dusts are generated.

SIGALD - 223506

Page 4 of 10



Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: white
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	4.5 - 9.2 at 50 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: 176 °C (349 °F) - dec.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	0.01 hPa at 20 °C (68 °F)
I)	Vapor density	No data available
m)	Density	1.85 g/cm3 at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	745 g/l at 20 °C (68 °F) - (anhydrous)
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

SIGALD - 223506

Page 5 of 10



#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No data available

# **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3** Possibility of hazardous reactions

Exothermic reaction with: boron trifluoride vinylmethyl ether Water Generates dangerous gases or fumes in contact with: Metals Zinc

# **10.4 Conditions to avoid** no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

# **SECTION 11:** Toxicological information

# 11.1 Information on toxicological effects

# Acute toxicity

LD50 Oral - Rat - male - 2,120 mg/kg Remarks: (anhydrous substance) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rabbit - male and female - > 5,000 mg/kg Remarks: (anhydrous substance) (ECHA) The value is given in analogy to the following substances: calcium chloride No data available

# Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: (anhydrous substance) The value is given in analogy to the following substances: calcium chloride

SIGALD - 223506

Page 6 of 10



# Serious eye damage/eye irritation

Eyes - Rabbit Result: Moderate eye irritation (OECD Test Guideline 405) Remarks: (ECHA) The value is given in analogy to the following substances: calcium chloride

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (anhydrous substance) Test Type: Ames test Result: negative Remarks: (anhydrous substance) (Lit.) Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster fibroblasts Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: negative Remarks: (anhydrous substance)

# Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure** No data available

# Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

# **11.2 Additional Information**

# RTECS: EV9810000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SIGALD - 223506

Page 7 of 10



# SECTION 12: Ecological information

12.1	Toxicity			
	Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 4,630 mg/l - 96 h (US-EPA) Remarks: (anhydrous substance) (ECHA) The value is given in analogy to the following substances: calcium chloride		
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 2,400 mg/l - 48 h (OECD Test Guideline 202) Remarks: (anhydrous substance) (ECHA) The value is given in analogy to the following substances: calcium chloride		
	Toxicity to algae	ErC50 - Pseudokirchneriella subcapitata - > 4,000 mg/l - 72 h (OECD Test Guideline 201) Remarks: (anhydrous substance) (ECHA) The value is given in analogy to the following substances: calcium chloride		

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

# 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

# 12.7 Other adverse effects

Discharge into the environment must be avoided.

SIGALD - 223506

Page 8 of 10



# SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### IMDG

Not dangerous goods

#### ΙΑΤΑ

Not dangerous goods

#### Further information

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Acute Health Hazard

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

# **SECTION 16: Other information**

# **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

SIGALD - 223506

Page 9 of 10



www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.8 Revision Date: 05/25/2023 Print Date: 11/24/2023

SIGALD - 223506

Page 10 of 10

